

**CS 580 Client-Server Programming  
Spring Semester, 2010  
Doc 14 States  
11 March, 2010**

Copyright ©, All rights reserved. 2010 SDSU & Roger Whitney, 5500 Campanile Drive, San Diego, CA 92182-7700 USA. OpenContent ([http://  
www.opencontent.org/opl.shtml](http://www.opencontent.org/opl.shtml)) license defines the copyright on this document.

## **References**

Design Patterns: Elements of Reusable Object-Oriented Software, Gamma, Helm, Johnson, Vlissides, Addison-Wesley, 1995

Selected Patterns for Implementing Finite State Machines, Paul Adamczyk,  
[http://hillside.net/plop/2004/papers/padamszyk0/PLoP2004\\_padamszyk0\\_0.doc](http://hillside.net/plop/2004/papers/padamszyk0/PLoP2004_padamszyk0_0.doc),  
referenced from [http://hillside.net/plop/2004/final\\_submissions.html](http://hillside.net/plop/2004/final_submissions.html)

# States

Some Servers are stateful or have modes

Each connection has different states

Some commands are only legal in some states


How to deal with states?

If (case) statements

Table of function pointers

State Objects (State pattern)

# Finite Automata - State Machines



# Using Switch Statements

```
int state = 0;
while (true) {
    command = input.read();
    switch (state) {
        case 0:
            if (command.isUser()) {
                username = command.argument();
                state = 1;
            }
            else if (command.isQuit())
                state = 4;
            else
                error("Illegal command: " + command);
            break;
        case 1:
            if (command.isPassword()) {
                if (valid(username, command.argument()))
                    state = 2;
                else {
                    error("Unauthorized User");
                    state = 3;
                }
            }
        else
            error("Unknown: " + command);
        break;
    }
}
```

0	NoAuth
1	HaveUser
2	Process
3	Invalid
4	Quit

# More Readable Version

```
int state = NO_AUTH;
while (true) {
    command = input.read();
    switch (state) {
        case NO_AUTH:
            noAuthorizationStateHandle( command );
            break;
        case HAVE_USER:
            haveUserStateHandle( command );
            break;
        case PROCESS:
            processStateHandle( command );
            break;
        case INVALID:
            invalidStateHandle( command );
            break;
        case QUIT:
            quitStateHandle( command );
            break;
    }
}

void noAuthorizationStateHandle(PopCommand a Command)
{
    if (command.isUser()) {
        username = command.argument();
        state = HAVE_USER;
    }
    else if (command.isQuit())
        state = QUIT;
    else
        error("Illegal command: " + command);
}
```

# Switch Method Analysis

## Disadvantages

Hard to read for large or complex states

Hard to modify

Hard to debug


The code will get very long very quickly

## Advantages

Everyone understands if statements

Simple for small/simple situations

# Special Case



```
command = input.nextCommand()
```

```
if command.isLogin()  
    process login  
else  
    handle illegal command  
end
```

```
while !command.quit?  
    command =  
    input.nextCommand()  
    process command  
end
```

# Implementing a State Machine with a Table

Commands	States				
	NoAuth	HaveUser	Process	Invalid	Quit
USER					
PASS					
LIST					
RETR					
QUIT					

Each cell needs:

- A function to process request
- Next state on success
- Next state on failure

# State Table Details

Commands	States				
	NoAuth	HaveUser	Process	Invalid	Quit
USER	actionUser	actionNull	actionNull		
	HaveUser	Invalid	Invalid	Quit	Quit
	<i>Invalid</i>	<i>Invalid</i>	<i>Invalid</i>	<i>Quit</i>	<i>Quit</i>
PASS	actionNull	actionPass	actionNull		
	Invalid	Process	Invalid	Quit	Quit
	<i>Invalid</i>	<i>Invalid</i>	<i>Invalid</i>	<i>Quit</i>	<i>Quit</i>
LIST	actionNull	actionNull	actionList		
	Invalid	Invalid	Process	Quit	Quit
	<i>Invalid</i>	<i>Invalid</i>	<i>Invalid?</i>	<i>Quit</i>	<i>Quit</i>
RETR	actionNull	actionNull	actionRetr		
	Invalid	Invalid	Process	Quit	Quit
	<i>Invalid</i>	<i>Invalid</i>	<i>Invalid?</i>	<i>Quit</i>	<i>Quit</i>
QUIT	actionQuit	actionQuit	actionQuit		
	Quit	Quit	Quit	Quit	Quit
	<i>Quit</i>	<i>Quit</i>	<i>Quit</i>	<i>Quit</i>	<i>Quit</i>

Function to process request

Next State on success

*Next State on failure*

# Basic Operation

Get request from user

Use current state and new request to find in table operation to perform

Perform the operation

Change state based on table and result of operation

# How to place Operation in a Table

## **C/C++**

Use function pointers

## **Smalltalk**

Use symbols and reflection

Use blocks

## **Java**

Use reflection

Use Inner classes

## **Ruby**

Use function references

# Function Pointers in C/C++

```
void quickSort( int* array, int LowBound, int HighBound){  
    // source code to sort array from LowBound to HighBound  
    // using quicksort has been removed to save room on page  
}  
  
void mergeSort(int* array, int LowBound, int HighBound) {    // same here}  
  
void insertionSort(int* array, int LowBound, int HighBound) { // ditto }  
  
void main() {  
    void (*sort) (int*, int, int);  
    int size;  
    int data[100];  
  
    // pretend data and Size are initialized  
  
    if (size < 25)  
        sort = insertionSort;  
  
    else if (size > 100)  
        sort = quickSort;  
  
    else  
        sort = mergeSort;  
  
    sort(data, 0, 99);  
}
```

# SPOP State table in C/C++

```
struct {  
    int     currentState;           0  NoAuth  
    char    *command;              1  HaveUser  
    int     statIfSucceed;         2  Process  
    int     statIfFailed;          3  Invalid  
    int     (*action)(char **);    4  Quit  
} actionTable[] = {  
    {0, "USER", 1, 3, actionUser},  
    {0, "QUIT", 4, 4, actionQuit},  
    {1, "PASS", 2, 3, actionPass},  
    {1, "QUIT", 4, 4, actionQuit},  
    {2, "LIST", 2, 2, actionList},  
    {2, "RETR", 2, 2, actionList},  
    {2, "QUIT", 4, 4, actionList},  
    {0, 0, 0, 0, 0}  
};
```

Easy to see what is going on.

Easy to add new commands.

# Ruby Method References

```
def cat()
    puts 'dog'
end
```

```
def increase(aNumber)
    puts aNumber + 1
end
```

```
x = method(:cat)
x.call
```

```
y = method(:increase)
y.call(4)
```

# Ruby State Table

```
noAuth = {
    #Command  Success  Fail State action
    :user => [:HaveUser, :Invalid, method(:actionUser)]
    :quit => [:Quit, :Quit, method(:actionQuit)]
    etc.
}

haveUser = {
    :pass => [:Process, :Invalid, method(:actionPass)]
    :quit => [:Quit, :Quit, method(:actionQuit)]
    etc
}

stateTable = {
    :NoAuth => noAuth
    :HaveUser => haveUser
    etc
}

currentState = :NoAuth
while currentState != :Quit
    command = input.readCommand()
    stateOperations = stateTable[currentState][command.symbol]
    operationSucceeded? = stateOperations[3].call(command.data)
    if operationSucceeded?
        currentState = stateOperations[0]
    else
        currentState = stateOperations[1]
    end
}
```

# Java Reflection

**Class.getMethod** maps strings to method objects

```
public Method getMethod(String name, Class parameterTypes[])
    throws NoSuchMethodException, SecurityException
```

**Method.invoke()** executes method objects

```
public Object invoke(Object receiver, Object... args)
```

# A Class for an Example

```
class Example
{
    public void getLunch()
    {
        System.out.println( "Lunch Time!" );
    }

    public void getLunch( String day )
    {
        System.out.println( "Lunch Time for " + day );
    }

    public void eatOut( String where )
    {
        System.out.println( "MacDonalds? " );
    }

    public void eatOut( int where )
    {
        System.out.println( "PizzaHut? " + where );
    }
}
```

# Reflection Example

```
import java.lang.reflect.Method;

class Test
{
    public static void main( String args[] ) throws Exception
    {
        Example a = new Example();

        Class[] stringType = { Class.forName( "java.lang.String" ) };

        Object[] stringParameter = { "Monday" };

        Method tryMe;

        tryMe = a.getClass().getMethod( "getLunch", stringType );

        tryMe.invoke( a, stringParameter );

    }
}
```

# Sample Table Entry

```
class StateTableEntry {  
    int      currentState;  
    String   command;  
    int      stateIfSucceed;  
    int      stateIfFailed;  
    Method   action;  
}
```

```
StateTableEntry sample = new StateTableEntry();  
Class[] stringType = { Class.forName( "java.lang.String" ) };  
sample.action = Server.getMethod( "username", stringType );
```

# **State Table Analysis**

## **Advantages**

Compact view of states and transitions

Easy to add remove states


Easy to modify transitions

## **Disadvantages**

Language support varies

Compile time checks are replaced by runtime check

# Implementing a State Machine: Objects



Each method (*pass*, *user*, etc.) performs the proper action for the given state and returns the next state

**SPopState** is abstract state with the default behavior for each method

# Strawman Driver Program

```
class SPopServer
{
    public void processRequest(InputStream in, OutputStream out,
        InetAddress clientAddress) throws IOException
    {

        SPopState currentState = new NoAuth();
        do
        {
            ProtocolParser requestData = new ProtocolParser( in );
            String request = requestData.getCommand();
            if ( request.isPassword() )
                currentState = currentState.pass( request, this);

            else if ( request.isUser() )
                currentState = currentState.user(this);
            etc.

                send response to client
        }
        while ( ! currentState instanceof Quit );
    }
}
```

# SPopState Implements Default Behavior

```
public class SPopState {  
    public SPopState quit( SPopServer parent) {  
        return new Quit();  
    }  
  
    public SPopState pass( PopCommand clientRequest, SPopServer parent)  
        throws IllegalCommand {  
        throw new IllegalCommand();  
    }  
  
    public SPopState user( PopCommand clientRequest, SPopServer parent)  
        throws IllegalCommand {  
        throw new IllegalCommand();  
    }  
  
    public SPopState list( PopCommand clientRequest, SPopServer parent)  
        throws IllegalCommand {  
        throw new IllegalCommand();  
    }  
}
```

# Subclasses Implement Correct behavior for that State

```
public class NoAuth extends SPopState {  
    public SPopState user( PopCommand clientRequest, SPopServer parent) {  
        parent.setUser( clientRequest.getArgument() );  
        parent.sendOKResponse();  
        return new HaveUser();  
    }  
}  
  
public class HaveUser extends SPopState {  
    public SPopState pass( PopCommand clientRequest, SPopServer parent) {  
        parent.setPassword( clientRequest.getArgument() );  
        if ( parent.user&PasswordValid() ) {  
            parent.sendOKResponse();  
            return new Process();  
        }  
        else {  
            parent.sendErrorResponse();  
            return new NoAuth();  
        }  
    }  
}
```

# **State Object Analysis**

## **Problems**

Lots of little parts

Algorithm distributed among different classes

## **Advantages**

Easy to add new states

Easy to change state transitions

Each State class deals with one state